



# Lake Mead Sport Fish

CRAB

Laughlin, NV

January 10-11, 2018

Debora Herndon



Nevada

Overton Arm

Boulder Basin

Virgin  
Basin

Gregg  
Basin

Arizona

Legend

- Counties
- Fishing Lakes
- NDOW Southern Region

0 9 18 km.


Map center: 719527, 4012295



Scale: 1:508,939

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.


# Larval Shad Sampling




# Striped Bass




# Striped Bass Fall Gill Net Survey



# Striped Bass




# Fall Electroshocking-Striped Bass





Google Earth



Iceberg Canyon


Pearce Ferry Rapid

Google Earth

# Black Bass




# Black Bass Fall Gill Net Survey




# Largemouth Bass

$W_r=88$




# Smallmouth Bass


$W_r=88$



# Fall Electroshocking




# Fall Gill Net Survey




# Spearfishing Tourney




# Creel Survey—Angler Preference



# Creel Survey Catch Rates Fish/hour



# Creel Survey Catch Rates Fish/Day



# Summary

- o Lake elevation increased by 6 ft
- o Peak year in shad production
- o Sportfish condition is good
- o Striped bass abundance declining
  - o May not be a bad thing
  - o May lead to increased size and better growth rates
- o Angler catch rates remain high